

SHOWER BASES

BATHS

SHOWER SCREENS



2024
RANGE



oceano.com.au

oceano
BATHROOM



As the world resets, we crave innovation and demand functionality. Oceano Bathroom continues to deliver from their previous highly successful range - setting the standard and clearly out in front. Exciting, stylish, relaxing and self-indulgent are still at the forefront of our collection.

New design options exclusively to Oceano Bathroom keep your space fresh and on-trend.

Oceano Bathroom products are:

- Manufactured to Australian Standards
- Constructed with surfaces of sanitary grade gel coat or acrylic sheet for shower bases and baths
- Easy to install
- Highly functional and practical
- Easy to clean

Our innovation, industry knowledge makes Oceano Bathroom the go-to partner in the fast-paced building industry whether building a new home or renovating.

Welcome, we look forward to working with you.



CONTENTS

COMPLETE 2024 RANGE

Shower Bases	■ ECO.....	06
	■ Urban MKII.....	10
	■ Metro.....	11
	■ Elite.....	12
	■ Access (Anti-Slip).....	14
	■ Vue.....	16
	■ Louve.....	16


Baths	■ Eco.....	18
	■ Luka.....	22
	■ Lunus.....	24
	■ Nava.....	26
	■ Studio.....	28
	■ Elite.....	30
	■ Metro.....	30
	■ Louve.....	32
	■ Civic.....	32
	■ Urban.....	34

Shower Screens	■ Louve Square Pivot.....	36
	■ Louve Square Slider.....	38
	■ Louve Neo Angle Pivot.....	40
	■ Louve Curved.....	42
	■ Urban Slider.....	44
	■ Urban Bath Panel.....	46
	■ Metro Bath Slider.....	46
	■ Kubix Door.....	48
	■ Kubix Shower Panel.....	50
	■ Kubix 90° Panel Options.....	52


Terms of Conditions	■ Returns & Warranty.....	54
----------------------------	---------------------------	----

Stonelite™ ECO


- > Cement based tile adhesive or mortar bed installation
- > Reinforced around waste
- > Low profile 50mm high
- > Stonelite™ Solid Cast Construction
- > Non check-in option 10mm wide tile flange on all four sides
- > Sanitary grade gelcoat surface
- > Square Chrome Grate included
- > Matte Black and White Grates optional
- > Easy installation
- > Design registered
- > Bases can be rotated to allow for alternate waste positions




EC820R
820x820 Rear Outlet




EC900R
900x900 Rear Outlet




EC1000R
1000x1000 Rear Outlet




EC829R
820x900 Rear Outlet




EC982R
900x820 Rear Outlet




EC9010R
900x1000 Rear Outlet




EC1090R
1000x900 Rear Outlet



EC9012R
900x1200 Rear Outlet




EC1210R
1200x1000 Rear Outlet



EBG-CH
ECO Chrome Grate




EBG-MB
ECO Matte Black Grate




EBG-WH
ECO White Grate


Stonelite™ ECO




EC1290R
1200x900 Rear Outlet




EC1500R
1500x900 Rear Outlet




EC1800R
1800x900 Rear Outlet




EC820C
820x820 Centre Outlet




EC900C
900x900 Centre Outlet




EC1000C
1000x1000 Centre Outlet




EC1290C
1200x900 Centre Outlet




EC1500C
1500x900 Centre Outlet




EC914NR
914x914 Neo Corner Rear Outlet



EC1000NR
1000x1000 Neo Corner Rear Outlet



EC900CR
900x900 Curved Corner Rear Outlet




EC1000CR
1000x1000 Curved Corner Rear Outlet




Shower Screen: Louve Neo Angle Pivot
Shower Base: ECO 1000 Neo Corner

Stonelite™ Urban MKII


- > Cement based tile adhesive or mortar bed installation
- > Low Profile 40mm high
- > Stonelite™ Solid Cast Construction
- > Non check-in option 10mm wide tile flange on all four sides
- > Sanitary grade gelcoat surface
- > Stainless Steel Channel Grate included




2UR900R
900x900 Rear Outlet



2UR1000R
1000x1000 Rear Outlet



2UR1290R
1200x900 Rear Outlet




2UR1500R
1500x900 Rear Outlet




Stainless Steel Grate detail

Stonelite™ Metro


- > Cement based tile adhesive or mortar bed installation
- > Low Profile 40mm high
- > Stonelite™ Solid Cast Construction
- > Non check-in option 10mm wide tile flange on all four sides
- > Sanitary grade gelcoat surface
- > White Stonelite™ Grate included
- > Smooth seamless design
- > Design registered
- > Bases can be rotated to allow for alternate waste positions




MT900R
900x900 Rear Outlet




MT1000R
1000x1000 Rear Outlet



MT1290R
1200x900 Rear Outlet



MT1500R
1500x900 Rear Outlet




MT900C
900x900 Centre Outlet




White Grate detail

Stonelite™ Elite


- > Cement based tile adhesive or mortar bed installation
- > Low Profile 40mm high
- > Stonelite™ Solid Cast Construction
- > Non check-in option 10mm wide tile flange on all four sides
- > Sanitary grade gelcoat surface
- > Stainless Steel Grate included
- > Matte Black and White Grates optional
- > Smooth seamless design
- > Design registered
- > Bases can be rotated to allow for alternate waste positions




EL820R
820x820 Rear Outlet




EL900R
900x900 Rear Outlet




EL1000R
1000x1000 Rear Outlet




EL1290R
1200x900 Rear Outlet




EL9012R
900x1200 Rear Outlet



EL9015R
900x1500 Rear Outlet




EL900C
900x900 Centre Outlet




EL1290C
1200x900 Centre Outlet



ELSG-CH
Elite Chrome Grate




ELSG-MB
Elite Matte Black Grate




ELSG-WH
Elite White Grate

Stonelite™ Access (Anti-Slip)


- > Cement based tile adhesive or mortar bed installation
- > Low Profile 40mm high
- > Low step entry
- > Stonelite™ Solid Cast Construction
- > Non check-in option 10mm wide tile flange on all four sides
- > Sanitary grade gelcoat surface
- > Chrome Dome Waste Cover included
- > Black, White Dome Covers optional
- > Anti-skid pattern surface
- > Easy installation
- > Design registered




AS820R
820x820 Rear Outlet




AS900R
900x900 Rear Outlet




AS1000R
1000x1000 Rear Outlet




AS1290R
1200x900 Rear Outlet



AS1500R
1500x900 Rear Outlet



AS900C
900x900 Centre Outlet




AS1290C
1200x900 Centre Outlet




Chrome Dome Cover Grate detail

Stonelite™ Vue

- > Cement based tile adhesive or mortar bed installation
- > Low Profile 50mm high
- > Stonelite™ Solid Cast Construction
- > Non check-in option 10mm wide tile flange on all four sides
- > Sanitary grade gelcoat surface
- > White Dome Waste Cover included
- > Black, Chrome Dome Covers optional
- > Modern design
- > Easy installation
- > Bases can be rotated to allow for alternate waste positions




EB90
900x900 Rear Outlet




EB1290
1200x900 Rear Outlet

SMC Louve

- > Cement based tile adhesive mortar bed or silicone installation
- > SMC (Sheet Moulded Compound)
- > Low Profile 45mm high
- > Light weight / Strength
- > Non check-in option 9mm wide tile flange on all four sides
- > Chrome Dome Waste Cover included
- > Modern design
- > Easy installation
- > Design registered
- > Bases can be rotated to allow for alternate waste positions



SAM900
900x900 Rear Outlet



SAM1290
1200x900 Rear Outlet



White Dome Waste Cover detail



Chrome Dome Waste Cover detail

ECO

BACK TO WALL - LEFT & RIGHT HAND



Back to wall option shown

“back to wall and left hand right hand options to suit corner installations...”

SIZE & LAYOUT OPTIONS


- Back to wall, LH & RH layouts
- 9 size & layout options
- All baths have a non overflow option
- **Back to wall options - overflow**
 - ECO - ECF1470BTW 1400 x 700 x 570 h
 - ECO - ECF1573BTW 1500 x 730 x 570 h
 - ECO - ECF1775BTW 1700 x 750 x 570 h
- **Back to wall options - non overflow**
 - ECO - NO-ECF1470BTW 1400 x 700 x 570 h
 - ECO - NO-ECF1573BTW 1500 x 730 x 570 h
 - ECO - NO-ECF1775BTW 1700 x 750 x 570 h
- **Left hand options - overflow**
 - ECO - ECL1470LH 1400 x 700 x 570 h
 - ECO - ECL1573LH 1500 x 730 x 570 h
 - ECO - ECL1775LH 1700 x 750 x 570 h
- **Left hand options - non overflow**
 - ECO - NO-ECL1470LH 1400 x 700 x 570 h
 - ECO - NO-ECL1573LH 1500 x 730 x 570 h
 - ECO - NO-ECL1775LH 1700 x 750 x 570 h
- **Right hand options - overflow**
 - ECO - ECR1470RH 1400 x 700 x 570 h
 - ECO - ECR1573RH 1500 x 730 x 570 h
 - ECO - ECR1775RH 1700 x 750 x 570 h
- **Right hand options - non overflow**
 - ECO - NO-ECR1470RH 1400 x 700 x 570 h
 - ECO - NO-ECR1573RH 1500 x 730 x 570 h
 - ECO - NO-ECR1775RH 1700 x 750 x 570 h

FEATURES & BENEFITS

- Integrated overflow, with slot overflow hole
- Mitsubishi sanitary grade acrylic sheet, crosslinking structure
- Composite reinforcement layer with acrylic bonding resin
- 18mm base board
- Heavy duty galvanized steel frame
- Adjustable feet for levelling
- Back to wall and left hand right hand options to suit corner installations
- Tested to AS1172.5



Composite reinforcement layer with acrylic bonding resin



Back to wall option



Left hand option



Right hand option


Full technical specs over the page >>

2024 RANGE



ECO

BACK TO WALL - LEFT & RIGHT HAND



BACK TO WALL OPTION





ECO ECF1470BTW (Overflow)
ECO NO-ECF1470BTW (Non overflow)
1400 x 700 x 570





ECO ECF1573BTW (Overflow)
ECO NO-ECF1573BTW (Non Overflow)
1500 x 730 x 570





ECO ECF1775BTW (Overflow)
ECO NO-ECF1775BTW (Non Overflow)
1700 x 750 x 570





LEFT HAND OPTION





ECO ECL1470LH (Overflow)
ECO NO-ECL1470LH (Non overflow)
1400 x 700 x 570



ECO ECL1573LH (Overflow)
ECO NO-ECL1573LH (Non Overflow)
1500 x 730 x 570




ECO ECL1775LH (Overflow)
ECO NO-ECL1775LH (Non Overflow)
1700 x 750 x 570





“layouts and sizes to suit everyone’s modern bathroom upgrade...”





RIGHT HAND OPTION





ECO ECR1470RH (Overflow)
ECO NO-ECR1470RH (Non overflow)
1400 x 700 x 570



ECO ECR1573RH (Overflow)
ECO NO-ECR1573RH (Non Overflow)
1500 x 730 x 570



ECO ECR1775RH (Overflow)
ECO NO-ECR1775RH (Non Overflow)
1700 x 750 x 570



LUKA

FREESTANDING



*“perfectly balanced
free standing bath...”*

SIZE & LAYOUT OPTIONS

- Freestanding layout
- 1 size option
- All baths have a non overflow option
- **Free Standing Option - overflow**
LUKA - LUK1773S 1700 x 730 x 630
- **Free Standing Option - non overflow**
LUKA - NO-LUK1773S 1700 x 730 x 630

FEATURES & BENEFITS



- Integrated overflow, with slot overflow hole
- Mitsubishi sanitary grade acrylic sheet, crosslinking structure
- Composite reinforcement layer with acrylic bonding resin
- 18mm base board
- Heavy duty galvanized steel frame
- Adjustable feet for levelling
- Tested to AS1172.5



FREESTANDING OPTION



LUKA - LUK1773S (Overflow)
LUKA - NO-LUK1773S (Non overflow)
1700 x 730 x 630



LUNUS

BACK TO WALL OPTION



*“back to wall bath
with tapware &
accessory ledge...”*

SIZE & LAYOUT OPTIONS


- Back to wall layout
- 2 size options
- All baths have a non overflow option
- **Back to wall options - overflow**
 - LUNUS - LUN1573BTW 1500 x 730 x 585 h
 - LUNUS - LUN1775BTW 1700 x 750 x 585 h
- **Back to wall options - non overflow**
 - LUNUS - NO-LUN1573BTW 1500 x 730 x 585 h
 - LUNUS - NO-LUN1775BTW 1700 x 750 x 585 h

FEATURES & BENEFITS


- Integrated overflow, with slot overflow hole
- Mitsubishi sanitary grade acrylic sheet, crosslinking structure
- Composite reinforcement layer with acrylic bonding resin
- 18mm base board
- Heavy duty galvanized steel frame
- Adjustable feet for levelling
- Tested to AS1172.5





BACK TO WALL OPTION



LUNUS LUN1573BTW (Overflow)
LUNUS NO-LUN1573BTW (Non overflow)
1500 x 730 x 585 h



LUNUS LUN1775BTW (Overflow)
LUNUS NO-LUN1775BTW (Non overflow)
1700 x 750 x 585 h



NAVA

FREESTANDING OPTION



“stand alone classic shape
with slim edge technology...”

SIZE & LAYOUT OPTIONS


- Freestanding layout
- 3 size options
- All baths have a non overflow option
- **Freestanding options - overflow**
 - NAVA - NAV1470S 1400 x 700 x 570 h
 - NAVA - NAV1573S 1500 x 730 x 570 h
 - NAVA - NAV1775S 1700 x 750 x 570 h
- **Freestanding options - non overflow**
 - NAVA - NO-NAV1470S 1400 x 700 x 570 h
 - NAVA - NO-NAV1573S 1500 x 730 x 570 h
 - NAVA - NO-NAV1775S 1700 x 750 x 570 h

FEATURES & BENEFITS



- Integrated overflow, with slot overflow hole
- Mitsubishi sanitary grade acrylic sheet, crosslinking structure
- Composite reinforcement layer with acrylic bonding resin
- 18mm base board
- Heavy duty galvanized steel frame
- Adjustable feet for levelling
- Tested to AS1172.5





FREESTANDING OPTION





LUKA - LUK1773S (Overflow)
LUKA - NO-LUK1773S (Non overflow)
1400 x 700 x 570 h



NAVA NAV1573S (Overflow)
NAVA NO-NAV1573S (Non overflow)
1500 x 730 x 570 h



NAVA NAV1775S (Overflow)
NAVA NO-NAV1775S (Non overflow)
1700 x 750 x 570 h



STUDIO

FREESTANDING OPTION



*“ distinctively sharp
square edged design...”*

SIZE & LAYOUT OPTIONS

- Freestanding & Back to wall layout
- 3 size options
- All baths have a non overflow option
- **Freestanding options - overflow**
 - Studio - STU1470S 1400 x 700 x 585 h
 - Studio - STU1575S 1500 x 750 x 585 h
 - Studio - STU1775S 1700 x 750 x 585 h
- **Freestanding options - non overflow**
 - Studio - NO-STU1470S 1400 x 700 x 585 h
 - Studio - NO-STU1575S 1500 x 750 x 585 h
 - Studio - NO-STU1775S 1700 x 750 x 585 h

FEATURES & BENEFITS







- Integrated overflow, with slot overflow hole
- Mitsubishi sanitary grade acrylic sheet, crosslinking structure
- Composite reinforcement layer with acrylic bonding resin
- 18mm base board
- Heavy duty galvanized steel frame
- Adjustable feet for levelling
- Tested to AS1172.5



Studio STU1470S (Overflow)
Studio NO-STU1470S (Non overflow)
1400 x 700 x 585 h

Studio STU1575S (Overflow)
Studio NO-STU1575S (Non overflow)
1500 x 750 x 585 h


Studio STU1775S (Overflow)
Studio NO-STU1775S (Non overflow)
1700 x 750 x 585 h




Elite (Island)

The Elite island baths are large and rectangular in shape and offer ample bathing space. They are designed as double ended baths allowing the user to bathe from either end.

- > Island style bath
- > Rectangular in shape
- > Self supporting (no mortar bed required)
- > Manufactured from sanitary grade acrylic
- > 15mm Low Profile Matte Finish
- > 35mm Standard Profile Gloss Finish
- > 40mm plug and waste not included



STANDARD PROFILE 35MM GLOSS – IEB1750
1700x750x415




LOW PROFILE PROFILE 15MM MATTE – IEB1750MS
1700x750x415


Metro (Island)

The Metro island bath offers classic internal rounded lines and comfortable bathing space.

- > Island style bath
- > Self supporting (no mortar bed required)
- > Manufactured from sanitary grade acrylic
- > 15mm Low Profile Matte Finish
- > 35mm Standard Profile Gloss Finish
- > 40mm plug and waste not included



STANDARD PROFILE 35MM GLOSS – IMB1750
1700x750x415



LOW PROFILE 15MM PROFILE MATTE – IMB1750MS
1700x750x415




Elite Gloss Finish Standard Profile Lip – 35mm




Metro Matte Finish Low Profile Lip – 15mm

Louve (Inset)


- > 4 sided tile flange
- > Suitable for inbuilt installation
- > Self-supporting (mortar bed not required)
- > Sanitary grade acrylic
- > 40mm plug and waste not included
- > Tested to AS1172.5



RD1525
1525x745x435




RD1675
1675x745x435




RD1800
1800x800x490

Civic (Inset)


- > 4 sided tile flange
- > Arm rests
- > Soap holders
- > Suitable for inbuilt installation
- > Self-supporting (mortar bed not required)
- > Sanitary grade acrylic
- > Anti-slip pattern surface
- > Suitable for shower over bath
- > 40mm plug and waste not included



CB1500
1500x720x420



CB1675
1675x735x420



CB1800
1800x820x490



BATHS

Louve Gloss Finish Standard Profile Lip 35mm




Civic Gloss Finish


2024
RANGE

Urban (Inset)


- > 4 sided tile flange
- > Suitable for inbuilt installation
- > Self-supporting (mortar bed not required)
- > Sanitary grade acrylic
- > Anti-slip pattern surface
- > Suitable for shower over bath
- > 40mm plug and waste not included



UB1500
1525x800x470



UB1675
1675x800x470



UB1800
1800x800x500



Urban Gloss Finish




Louve Square Pivot

- > Magnetic door seals
- > Semi-frameless design
- > 6mm glass
- > Adjustable for out-of-square walls
- > Reversible for right or left hand application
- > Matte Black or Chrome finish
- > Suitable for both Stonelite™ showerbase or tiled floor installation
- > 2 metre high shower screens
- > Front only option available
- > Mix and match sections to suit your requirements
- > Australian Standards AS/NZ2208, AS1288



Code Matte Black	Code Chrome	Style	Size	Range (mm)
LS82FMB	LS82FC	Front	820x2000	750 – 810
LS82RMB	LS82RC	Return	820x2000	770 – 800
LS90FMB	LS90FC	Front	900x2000	835 – 890
LS90RMB	LS90RC	Return	900x2000	850 – 885
LS10FMB	LS10FC	Front	1000x2000	935 – 990
LS10RMB	LS10RC	Return	1000x2000	950 – 985
LS12FMB	LS12FC	Front	1200x2000	1145 – 1195
LS12RMB	LS12RC	Return	1200x2000	1150 – 1185
LS15FMB	LS15FC	Front	1480x2000	1445 – 1495

Size	Width (A)	Depth (B)	Opening (C)	Fixed (D)	Height (H)
820x820	750 – 810	770 – 800	500	171	2000
900x900	835 – 890	850 – 885	530	224	2000
1000x1000	935 – 990	950 – 985	530	324	2000
1200x900	1145 – 1195	850 – 885	530	534	2000
900x1200	835 – 890	1150 – 1185	530	224	2000
1500x900	1445 – 1495	850 – 885	530	804	2000







Shower Screen: 1200x900 Matte Black Louve Front and return
Shower Base: 900x1200 ECO with black grate

Louve Square Slider

- > Magnetic door seals
- > Adjustable for out-of-square walls
- > Sliding doors
- > Semi-frameless design
- > 6mm Glass
- > Matte Black or Chrome finish
- > Suitable for both Stonelite™ showerbase or tiled floor installation
- > 2 metre high shower screens
- > Australian Standards AS/NZ2208, AS1288

Code Matte Black	Code Chrome	Style	Size	Range (mm)
LS90FSMB	LS90FSC	Doors	900x2000	855 – 875
LS90RSMB	LS90RSC	Panels	900x2000	855 – 875
LS100FSMB	LS100FSC	Doors	1000x2000	955 – 970
LS100RSMB	LS100RSC	Panels	1000x2000	955 – 970

Size	Width (A)	Depth (B)	Fixed (C)	Opening (D)	Height (H)
900	855 – 875	855 – 875	372	470	2000
1000	955 – 970	955 – 970	432	540	2000





Shower Screen: 900 Louve Square Slider Matte Black
Shower Base: 900x900 Access



Louve Neo Angle Pivot

- > Magnetic door seals
- > Semi-frameless design
- > 6mm Glass
- > Adjustable for out-of-square walls
- > Reversible for right or left hand application
- > Chrome finish
- > Suitable for both Stonelite™ showerbase or tiled floor installation
- > 2 metre high shower screens
- > Australian Standards AS/NZ2208, AS1288



Code	Style	Size	Range (mm)
LS90NEOFC	Front	900x2000	835 – 895
LS90NEORC	Return		
LS100NEOFC	Front	1000x2000	935 – 995
LS100NEORC	Return		

Size	Width (A)	Depth (B)	Fixed (C)	Front (D)	Opening (E)	Height (H)
900	835 – 895	835 – 895	375 – 400	650 – 700	445	2000
1000	935 – 995	935 – 995	375 – 400	750 – 810	500	2000





Shower Screen: 900 Louve Neo Angle
Shower Base: 900 ECO Neo Angle



Louve Curved Slider

- > Magnetic door seals
- > Adjustable for out-of-square walls
- > Sliding doors
- > Semi-frameless design
- > 6mm Glass
- > Chrome finish
- > Suitable for both Stonelite™ showerbase or tiled floor installation
- > 2 metre high shower screens
- > Australian Standards AS/NZ2208, AS1288



Code	Style	Size	Range (mm)
LS900CDC	Front	900x900x2000	855 – 875
LS1000CDC	Front	1000x1000x2000	955 – 970

Size	Width (A)	Depth (B)	Fixed (C)	Opening (D)	Height (H)
900	855 – 875	855 – 875	310	518	2000
1000	955 – 970	955 – 970	410	518	2000





Shower Screen: 900 Louve Curved
Shower Base: 900 ECO Curved



Urban Slider

- > 2 metre high shower screens
- > Adjustable for out-of-square walls
- > Reversible left or right hand application
- > Matte Black or Chrome finish
- > Mirror door option in Chrome finish only
- > Suitable for Stonelite™ shower base and tile floor installation
- > Adjustable size range
- > Front only option available
- > Australian Standards AS/NZ2208, AS1288

Code Matte Black	Code Chrome	Style	Size	Range (mm)
UR90RSMB	UR90RSC	Return Panel	900x2000	855 – 880
UR12FSMB	UR12FSC	Front	1200x2000	1162 – 1182
	MTSPS115C	Chrome Front Mirror Door	1200x2000	1125 – 1150
USWDMB	USWD	Wall Bracket front only (alcove)	1200x2000	1155 – 1170

*Note: For front only (alcove) UR12FSC/MTSPS115C + USWD = 1155 – 1170
Mirror sliding door and clear glass fixed panel

Size	Width (A)	Depth (B)	Fixed (C)	Opening (D)	Height (H)
1200x900	1155 – 1180	855 – 880	550	460	2000



Shower Screen: Metro Slider Return Panel
Shower Base: 900x1200 Elite



Shower Screen: *Urban Slider Matte Black*
Shower Base: *900x1200 Elite*

Urban Bath Panel

- > 1.6 metre high shower screens
- > Adjustable for out-of-square walls
- > Reversible left or right hand application
- > Hinges outward
- > Chrome finish
- > Australian Standards AS/NZ2208, AS1288

Code	Style	Size	Range (mm)
URBS900C	Chrome Hinged Panel	900x1600	900 – 920



Metro Bath Slider (Mirror Door)

- > 1.6 metre high shower screens
- > 8mm Glass
- > Adjustable for out-of-square walls
- > Reversible left or right hand application
- > Sliding Mirror Door
- > Chrome finish
- > Australian Standards AS/NZ2208, AS1288

Code	Style	Size	Range (mm)
MTBSS1150C	Chrome Front Mirror Door	1200x1600	1175 – 1200

**Note: Mirror sliding door and clear glass fixed panel*





Shower Screen: Urban Bath Panel
Bath: Urban 1675



Shower Screen: Metro Bath Slider
Bath: Urban 1675



Kubix Door

- > 2 metre high shower screens, eliminates splashing
- > 8mm Glass
- > Adjustable for out-of-square walls
- > Door options: 900 ; 1000
- > Reversible left or right hand application
- > Black, white or chrome options
- > Suitable for Stonelite™ shower base and tile floor installation
- > Adjustable size range
- > Mix and match sections to suit your size requirements
- > Australian Standards AS/NZ2208, AS1288



Code	Style	Size	Range (mm)
KUD90C	900 Chrome	900x2000	823 – 843
KUD90MB	900 Matt Black	900x2000	823 – 843
KUD90MW	900 Matt White	900x2000	823 – 843
KUD100C	1000 Chrome	1000x2000	923 – 943
KUD100MB	1000 Matt Black	1000x2000	923 – 943
KUD100MW	1000 Matt White	1000x2000	923 – 943

Size	Width (A)	Depth (B)	Door (C)	Opening (D)	Height (H)	Height 2 (H2)
900x900	855 – 880	855 – 880	823 – 843	772	2000	2035
900x1000	955 – 980	855 – 880	823 – 843	772	2000	2035
900x1200	1155 – 1180	855 – 880	823 – 843	772	2000	2035
900x1500	1455 – 1480	855 – 880	823 – 843	772	2000	2035
1000x900	855 – 880	955 – 980	923 – 943	872	2000	2035
1000x1000	955 – 980	955 – 980	923 – 943	872	2000	2035
1000x1200	1155 – 1180	955 – 980	923 – 943	872	2000	2035
1000x1500	1455 – 1480	955 – 980	923 – 943	872	2000	2035





Shower Screen: Kubix 900 matt white door with Kubix 1200 matt white shower panel
Shower Base: 1200x900 Urban MKII

Kubix Shower Panel

- > 2 metre high shower screens
- > 8mm Glass
- > Adjustable for out-of-square walls
- > Reversible left or right hand application
- > Black, white or chrome options
- > Suitable for Stonelite™ shower base and tile floor installation
- > Adjustable size range
- > Mix and match sections to suit your size requirements
- > Australian Standards AS/NZ2208, AS1288





Code	Style	Size	Range (mm)
KUSP90C	900 Chrome	900x2000	855 – 880
KUSP90MB	900 Matt Black	900x2000	855 – 880
KUSP90MW	900 Matt White	900x2000	855 – 880
KUSP100C	1000 Chrome	1000x2000	955 – 980
KUSP100MB	1000 Matt Black	1000x2000	955 – 980
KUSP100MW	1000 Matt White	1000x2000	955 – 980
KUSP120C	1200 Chrome	1200x2000	1155 – 1180
KUSP120MB	1200 Matt Black	1200x2000	1155 – 1180
KUSP120MW	1200 Matt White	1200x2000	1155 – 1180
KUSP150C	1500 Chrome	1500x2000	1455 – 1480
KUSP150MB	1500 Matt Black	1500x2000	1455 – 1480
KUSP150MW	1500 Matt White	1500x2000	1455 – 1480

Note: Support arms can be cut to suit requirements

Range 855mm – 880mm included with 900, 1200, 1500 shower panels

Range 955mm – 980mm included with 1000 shower panel

Size	Width (A)	Depth (B)	Height (H)	Height 2 (H2)
900x900	855 – 880	855 – 880	2000	2032
1000x1000	955 – 980	955 – 980	2000	2032
1200x900	1155 – 1180	855 – 880	2000	2032
1500x900	1455 – 1480	855 – 880	2000	2032





Shower Screen: Kubix 1200 matt black shower panel

Shower Base: 900x1200 Elite

Kubix Shower Panel Options

The Kubix 90° Joiner allows standard size Kubix shower panels to be added to enable various widths and depths. The following table shows examples of combinations that can be created by incorporating the Kubix 90° Joiner.

Code	Style
KUEXTC	90° Joiner Chrome
KUEXTMB	90° Joiner Matt Black
KUEXTMW	90° Joiner Matt White



Kubix 90° Joiner allows Kubix shower panels to be joined together to create multiple walk-in shower options. Suits 900, 1000, 1200, 1500mm fixed panel configurations

Note: Kubix 90° Joiner (right) is an illustration sample only of KUEXTC model



Size	Width (A)	Depth (B)	Depth Code	Fixed (C)	Fixed Code	Opening (D)	Height H	Height 2 H2
1500 X 900	1455 - 1480	855 - 880	KUSP90C	855-880	KUSP90C	568	2000	2032
1500 X 1000	1455 - 1480	955 - 980	KUSP100C	955 - 980	KUSP100C	468	2000	2032
1800 X 900	1755 - 1780	855 - 880	KUSP90C	1155 - 1180	KUSP120C	568	2000	2032
1800 X 1000	1755 - 1780	955 - 980	KUSP100C	1155 - 1180	KUSP120C	568	2000	2032
1800 X 900	1755 - 1780	855 - 880	KUSP90C	955 - 980	KUSP100C	768	2000	2032
1800 X 1000	1755 - 1780	955 - 980	KUSP100C	955 - 980	KUSP100C	768	2000	2032

Note: Table above is shown using Chrome finish panels (ie Depth Code, Fixed Code), if black or white is required, use appropriate codes as nominated on page 24





Shower Screen: Kubix 900 chrome shower panels x 2
Shower Base: 900x1500 Elite

TERMS & CONDITIONS

Dimensions

All dimensions are stated in millimetres (mm) and are nominal sizes. Variations may occur due to the manufacturing process. Care should be taken to check sizing prior to installation.

Returns

The customer will be deemed to have accepted the goods as being in accordance with the order unless Oceano Bathroom Pty Ltd is notified of it's claim within seven (7) days of receipt of the goods. All returns must be authorised by an Oceano Bathroom Pty Ltd official representative prior to the goods being returned.

For any credit claim to be considered (and processed), Oceano Bathroom Pty Ltd must be provided with the following:

- Oceano Bathroom Pty Ltd invoice number and delivery docket number
- Clear description of the goods
- Reason for return
- Amount being claimed
- Oceano Bathroom Pty Ltd standard restocking fee is 15%. Returns without notification will not be accepted

Warranty

Oceano Bathroom Pty Ltd will at its election, pursuant to its obligations under the Competition and Consumer Act 2010, repair or replace the defective product or part, and make appropriate adjustment.

The warranty shall expire after the set period from the date of original purchase, where a product is covered by this warranty.

This warranty is subject to the conditions and exclusions as listed below. Oceano Bathroom Pty Ltd warrants that products manufactured and distributed by Oceano Bathroom Pty Ltd will be free of inherent defects and materials and workmanship for the warranty period applicable to the product.

This warranty only applies within Australia and does not include removal or installation costs.



10 YEARS

Free Standing Baths



7 YEARS

Stonelite™
Polymarble
Shower Bases



7 YEARS

SMC Shower Bases



5 YEARS

Acrylic Baths
Inset Baths



1 YEAR

Shower Screens



Shower Screen: 900x900 Chrome Louve
Front and Return
Shower Base: 900 x 900 Eco

SHOWER BASES

BATHS

SHOWER SCREENS



SCAN ME

Oceano Bathrooms

19A Kitchen Road
Dandenong South VIC 3175

Tel (03) 9791 7782

Email sales@oceano.com.au

oceano.com.au

oceano
BATHROOM